

[illegible]

BLOODBORNE EXPOSURE-SOURCE		BBE-SOURCE- SARAT	MULTI	Serum (SST)	Refrigerate	Multi	Rapid HIV Hepatitis B Ag w/ Ref Hepatitis C Ab w/Ref
Blood Gas w/o Lactate	ABG	Arterial-LAB60069	RESPIRATORY THERAPY	CAPILLARY		82803	Call Respiratory for draw.
		Venous- LAB60125				82803	
		Capillary- LAB60126					
		Cord Blood- LAB60127				82803	
		Arterial- LAB60150				82803	
Blood Gas with Lactate		Venous- LAB60150				82803 + 83605	
						82803 + 83605	
BLOOD UREA NITROGEN	BUN UREA	LAB140	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	84525	Methodology: Urease with GLDH /bichromatic rate
STERILE BODY FLUID CULTURE & GRAM STAIN	CULT-BODY FLUID	LAB269	MICROBIOLOGY	Syringe (remove needle expel air, cap tightly) Sterile Container ESWAB Collection transport system	Transport Immediately at Room Temperature	87071	Sources: Joint, Pleural, Peritoneal, Pericardial, Amniotic. Methodology: Gram Stain & Culture with reflex to identification & susceptibility testing. * Refer to "Specimen Collection and Transport", Specimen Collection Requirements/ Notes , Microbiology section for details.
BODY FLUID PROFILE W/ DIFF		LAB2419	HEMATOLOGY	LAVENDER (potassium EDTA), Sterile container for BAL & PD fluid	Deliver to lab within one hour of collection.	89051	Use for body fluids, i.e. pleural, thoracentesis, peritoneal, etc. Methodology: Sysmex and microscopic examination.
BODY FLUID PROFILE W/O DIFF		LAB209	HEMATOLOGY	LAVENDER (potassium EDTA), Sterile container for BAL & PD fluid	Deliver to lab within one hour of collection.	89050	Use for body fluids, i.e. pleural, thoracentesis, peritoneal, etc. Methodology: Sysmex
BONE MARROW		LAB6	HEMATOLOGY	Slides/Biopsy in B-Plus fixative	Slides delivered to Hematology.	85097	Call hematology to schedule assistance. Collection kit now ordered by CAT scan.
					Biopsy to Histology		"Bone Marrow Exam" in EMR system. Flow sytometry and cytogenetic send out testing is a reflex test and is included in the Bone Marrow exam order. Do not order separately.
BONE CULTURE Order: Aerobic Tissue Culture & Gram Stain	CULT-TISSUE	LAB271	MICROBIOLOGY		Transport STAT at room temperature	87071	Methodology: Gram Stain & Culture with reflex to identification & susceptibility testing. Cover bone with several drops of non-bacteriostatic saline to keep moist.
BREAST ASPIRATION		LAB13	CYTOLOGY	Cytolyt and 10% Formalin	Deliver to laboratory immediately. Refrigerate if there is a delay in processing.	88173	Place first pass in cytolyt and remainder of passes in formalin or split the aspirated material into equal amounts and place 1 part in cytolyt fixative and 1 part in formalin. Cytology requisition including pertinent clinical information must accompany specimen. Methodology: ThinPrep and cell block technique
BREAST-NIPPLE SECRETION		LAB13	CYTOLOGY	Cytology spray fixative - cardboard slide holder or 95% ethanol.	Spray fixed slides (labelled with name of patient) should be placed in plastic or cardboard slide holders and delivered to Cytology with Cytology requisition.	88173	Smearred slide should be fixed immediately with cytology spray fixative or place slides in fixative. Cytology requisition is required with specimen.
BRONCHIAL BRUSHING		LAB13	CYTOLOGY	Cytolyt and 10% Formalin	Deliver to laboratory immediately.	88112	Non-GYN order in EMR system. Cytology requisition must accompany specimen. Cut off brush tip and place first brush tip in cytolyt container. Place remaining brush tips in formalin. Methodology: ThinPrep and cell block technique
BRONCHIAL- NEEDLE ASPIRATE		LAB13	CYTOLOGY	Cytolyt and 10% Formalin	Deliver to Cytology immediately. Refrigerate if there is a delay in processing.	88173	Place first pass into cytolyt and remainder of passes into formalin. Non Gyn order in EMR system. Cytology requisition including pertinent clinical information must accompany specimen. Methodology: ThinPrep and cell block technique
BRONCHIAL WASHING		LAB13	CYTOLOGY	Cytolyt and 10% Formalin	Deliver to laboratory immediately. Refrigerate if there is a delay in processing.	88112	Non Gyn order in EMR system.Cytology requisition must accompany specimen. Fresh - send to lab immediately - or - Fixative -split specimen into equal parts and place specimen into cytolyt and formalin fixative provided by lab. Methodology: ThinPrep and cell block technique
C REACTIVE PROTEIN	CRP	LAB149	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	86140	Methodology: Turbidimetric
CA 125	Cancer Antigen 125	LAB155	CHEMISTRY	Serum (SST)	Refrigerate	86304	Methodology: sandwich immunoassay using direct chemiluminescent technology
CALCIUM		LAB53	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	82310	Methodology: Arsenazo III / bichromatic endpoint
CARBAMAZEPINE	TEGRETOL	LAB21	CHEMISTRY	Serum (Red)/ Li Hep	Refrigerate	80156	Methodology: EMIT/ Enzyme Immunoassay
CARBOXYHEMOGLOBIN	CARBOXY	CAB60057	BLOOD GAS LAB	AP	Refrigerate	82375	Phlebotomy to collect. Respiratory to perform testing.
CARCINOEMBRYONIC ANTIGEN	CEA	LAB57	CHEMISTRY	Serum (SST)	Refrigerate	82378	Methodology: sandwich immunoassay using direct chemiluminescent technology
HIGH SENSITIVITY C REACTIVE PROTEIN	Cardiac CRP	LAB1231412	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	86141	Methodology: Turbidimetric
							Order-MISC. AEROBIC CULTURE, Source: CATH TIP

CATHETER TIP CULTURE	SOURCE: Catheter Tip	LAB224	MICROBIOLOGY	Sterile Container	Immediately at room temperature	87070	Methodology: Culture with reflex to identification & susceptibility testing.Two (2) blood cultures, 1 through the catheter and 1 peripheral, should be ordered and collected before the catheter is removed. If source is Intra-arterial or Intravenous, cut approx. 2 to 3 inches from distal end of the catheter and place in sterile container.
CBC		LAB12320090	HEMATOLOGY	Whole blood (EDTA - Lavender)	Room temperature within 24 hours. Refrigerate 24-48 hours.	85025	Invert several times. Exact amount of blood required. Methodology: Sysmex, Photometric measurement.
CBC NO DIFF		LAB1232324	HEMATOLOGY	Whole blood (EDTA - Lavender)	Room temperature within 24 hours. Refrigerate 24-48 hours.	85027	Invert several times. Exact amount of blood required. Methodology: Sysmex, Photometric measurement.
CBC WITH MANUAL DIFF		LAB1232332	HEMATOLOGY	Whole blood (EDTA - Lavender)	Room temperature within 24 hours. Refrigerate 24-48 hours.	85032	Invert several times. Exact amount of blood required. Methodology: Sysmex, Photometric measurement.
CERVICAL/VAGINAL SMEAR	GYN SPECIMEN PAP SMEAR	LAB4	CYTOLOGY	Methodology: ThinPrep Fixative (provided by Cytology).	Room temperature	88142	Order GYN PAP order in EMR, include source and pertinent clinical information on a cytology requisition. Rinse the brush as quickly as possible in the PreservCyt Solution by rotating the device in the solution 10 times while pushing against the PreservCyt vial wall. Swirl the brush vigorously to further release material. Discard the brush. Additional collection information is available upon physician's request. The College of American Pathologist (CAP) requires the laboratory to educate providers of cervicovaginal specimens that the pap test is a screening test for cervical cancer with an inherent false negative rate (see CAP regulation CYP.06466). Methodology: Thinprep.
CHLORIDE		LAB59	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	82435	Methodology: Ion Selective/Diluted/ Indirect Potentiometric
CHOLESTEROL		LAB60	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	82465	Methodology: Enzymatic /polychromatic endpt
CHROMOSOME ANALYSIS	GENETIC STUDIES	LAB1137	PATHOLOGY	SEND FRESH IN STERILE CONTAINER- no fixative	Tissue is sent to reference laboratory for processing. Refrigerate if there is a delay in processing	MULTI	Send specimen fresh - no fixative. Deliver immediately with a completed Pathology requisition to Pathology and notify a technician when it arrives. Refrigerate if there is a delay in processing. Specimen must be accompanied by the filled out and signed send out kit requisition form and tube of maternal blood
CK	CREATINE KINASE	LAB62	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	82550	Methodology: CP/ADP/NADP to NADPH/ Calibrated/ 37°C /bichromatic rate
C. Difficile (Toxigenic), PCR	C.diff Tox PCR	LAB123901	MICROBIOLOGY	Sterile container	Inpatients: Transport immediately. Outpatients: Transport within 24 hrs on ice (Refrigerated). Storage: Refrigerate (DNA will remain stable for 5 days).	87324	Methodology: Amplified DNA detection by real-time PCR. Submit: Unformed (liquid or soft) stool specimens collected from patients suspected of having C. difficile infection (CDI). Stool specimens are interpreted to be soft (unformed) if the specimen will not support a wooden applicator stick to stand upright. FORMED STOOL WILL BE REJECTED!! Submit: Rectal swab (must be Cepheid's single use swab) of anal crypts and the swab must contain visible stool...least desirable. Please Note: This is NOT a diagnostic test for C.difficile infection. It is to be used with other clinical findings/tests. This test detects viable and non-viable C.difficile DNA.
CO2 - CARBON DIOXIDE		LAB55	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	82374	Methodology: Enzymatic/bichromatic rate
COCAINE METABOLITES		LAB378	CHEMISTRY	URN-50ML	Refrigerate	80101	Methodology: EMIT® Enzyme Immunoassay
CORD BLOOD EVALUATION		LAB892	BLOOD BANK	LAVENDER (EDTA)	Room Temperature	MULTI	
COMPREHENSIVE METABOLIC PANEL	CMP	LAB17	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	80053	Panel includes GLU, BUN, CRE, CO2, CL, NA, K, CA, AST, ALT, ALP, TB, TP, ALB, BUN/CREATININE, CALC OSMOLALITY, A/G RATIO
CREATININE	CREAT	LAB383	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	82565	Methodology: Kinetic Alkaline Picrate / bichromatic rate
CREATININE CLEARANCE	CREAT CLEAR	LAB1765	CHEMISTRY	24 HR UR	Refrigerate	82575	Methodology: Kinetic Alkaline Picrate / bichromatic rate
CROSSMATCH		General Adult Blood Administration-SmartSet	BLOOD BANK			MULTI	See "RBC".
CRYOPRECIPITATE	CRYO-POOLED	General Adult Blood Administration-SmartSet	BLOOD BANK	LAVENDER (EDTA)	Room temperature	MULTI	Frozen product. One unit of pooled cryo= 5 units of random cryo.
CSF CELL COUNT & DIFF		LAB12320102047	HEMATOLOGY	Sterile tubes # 1-4	Deliver to lab immediately.	89051	Collected by physician. Methodology: Microscopic examination.

FLUID (BODY CAVITY)	PERITONEAL FLUID ASCITIC FLUID PELVIC WASHINGS PLEURAL FLUID	LAB13	CYTOLOGY	Cytolyt and 10% formalin.	Send specimen to Cytology immediately. Refrigerate if there is a delay in processing.	88108	Non-Gyn order in EMR. Cytology requisition is required with specimen. Fresh- Specimen brought to lab immediately Or split specimen into equal parts and place one part of specimen in cytolyt and the other part in formalin fixative provided by lab. Methodology: ThinPrep and cell block technique
FLUID PH		LAB110	CHEMISTRY	Serum (Red)	Refrigerate	83986	Methodology: electrochemical (pH meter)
FOLATE (FOLIC ACID)		LAB69	CHEMISTRY	Serum (SST)/Li Hep	Refrigerate	82746	Methodology: Competitive immunoassay using direct chemiluminescent technology
FROZEN SECTION	FS	LAB1137	PATHOLOGY	Clean, dry container	Deliver immediately to Pathology and notify technologist when it arrives.	88331	Pathologist/histotechnologist notified prior to surgery. Fresh specimen submitted, no formalin added. Indicate frozen section order on Pathology Pathology exam order in EMR system. Paper order required with call back number.
FSH	FOLLICLE STIMULATING HORMONE	LAB123104	CHEMISTRY	Serum (SST)/Li Hep	Refrigerate	83001	Methodology: sandwich immunoassay using direct chemiluminescent technology
FT4	FREE T4	LAB127	CHEMISTRY	Serum (SST)/Li Hep	Refrigerate	84439	Methodology: Competitive immunoassay using indirect chemiluminescent technology
GASTRIC BRUSHING		LAB13	CYTOLOGY	Cytolyt and 10% formalin	Specimen is delivered to Cytology with Cytology requisition.	88112	Non-Gyn order in EMR. Cytology requisition must accompany specimen. Cut off brush tip and place first brush tip in cytolyt container. Place remaining brush tips in formalin. Methodology: ThinPrep and cell block technique
GASTRIC WASHING		LAB13	CYTOLOGY	Cytolyt and 10% formalin	Specimen is delivered to Cytology as soon as possible. Refrigerate if there is a delay in processing.	88112	Non-Gyn order in EMR. Cytology requisition is required with specimen. Fresh- bring specimen to cytology department immediately OR split specimen into equal parts and place one part of specimen in cytolyt and the other part in formalin fixative provided by lab. Methodology: ThinPrep and cell block technique
GC CULTURE	GONORRHEA	LAB1382	MICROBIOLOGY	Eswab Collection and Transport System	* Refer to "Specimen Collection and Transport", <u>Specimen Collection Requirements/Notes</u> , Microbiology section for details.	87081	Methodology: Culture with reflex to identification testing. * Refer to "Specimen Collection and Transport", <u>Specimen Collection Requirements/Notes</u> , Microbiology section for details.
GENITAL CULTURE		LAB465	MICROBIOLOGY	ESwab Collection and Transport System	Transport within 24 hours at room temperature	87070 87205	Sources: vaginal, endocervical, cervix, labia, penis, genital, miscellaneous Methodology: Gram stain & Culture with reflex to identification and susceptibility testing.
GENITAL STREP SCREEN CULTURE	BETA HEMOLYTIC STREPTOCOCCUS Group B Screen	LAB5030	MICROBIOLOGY	ESwab Collection and Transport System	Transport within 24 hrs. at room temperature.	87081	Source: Vaginal/Rectal Methodology: Culture with reflex to identification testing for Streptococcus group B.
GENITAL STREP SCREEN with SUSCEPTIBILITY	BETA HEMOLYTIC STREPTOCOCCUS Group B Screen with reflex to Susceptibilities	LAB5042	MICROBIOLOGY	ESwab Collection and Transport System	Transport within 24 hrs. at room temperature.	87081	Source: Vaginal/Rectal Methodology: Culture with reflex to identification & susceptibility testing for Streptococcus group B. ** Order if patient is PENICILLIN ALLERGIC
GENTAMICIN PEAK		LAB28	CHEMISTRY	Serum (Red)	Refrigerate	80170	Methodology: EMIT/Enzyme immunoassay
GENTAMICIN TROUGH		LAB26	CHEMISTRY	Serum (Red)	Refrigerate	80170	Methodology: EMIT/Enzyme immunoassay
GENTAMICIN (RANDOM)		LAB27	CHEMISTRY	Serum (Red)	Refrigerate	80170	Methodology: EMIT/Enzyme immunoassay
GGT-GAMMA GLUTAMYL TRANSFERASE	GAMMA GT	LAB85	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	82977	Methodology: GCNA/ Calibrated/37°C / bichromatic rate
GLUCOSE	SUGAR FBS FASTING BLOOD SUGAR	LAB82	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	82947	Methodology: Hexokinase, UV /bichromatic endpoint
GLUCOSE, CONFIRMATORY	CONFIRMATORY GLU FOR FINGERSTICK	LAB123011082	CHEMISTRY	Plasma (Gray top)			Methodology: Hexokinase, UV /bichromatic endpoint
GLYCOSYLATED HEMOGLOBIN	HGA1C HEMOGLOBIN A1C	LAB3022	CHEMISTRY	Whole blood (EDTA-Lavender top)	Refrigerate	83036	Methodology: Colorimetric (T-hb)

GYN SPECIMEN	CERVICAL/VAGINAL	LAB4	CYTOLOGY	ThinPrep collection kit (provided by Cytology)	Store: Room temperature	88142	Order screening or diagnostic pap smear, include source and pertinent clinical information on a GYN pap order in EMR system. Rinse the brush as quickly as possible in the PreservCyt Solution by rotating the device in the solution 10 times while pushing against the PreservCyt vial wall. Swirl the brush vigorously to further release material. Discard the brush. Additional collection information is available upon physician's request. The College of American Pathologist (CAP) requires the laboratory to educate providers of cervicovaginal specimens that the pap test is a screening test for cervical cancer with an inherent false negative rate (see CAP regulation CYP.06466). Methodology: Thinprep.
HBCO	Carboxyhemoglobin	LAB60057	RESPIRATORY	AP		82375	
HDL CHOLESTEROL	HIGH DENSITY LIPOPROTEIN	LAB101	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	83718	Methodology: Cholesterol estrase/bichromatic endpoint
HEMOGLOBIN & HEMATOCRIT		LAB753	HEMATOLOGY	Whole blood (EDTA - Lavender)	Room temperature within 24 hrs. Refrigerate 24-48 hrs.	85014 85018	Methodology: Automated cell counter
HEPATIC FUNCTION PANEL	LIVER FUNCTION TEST LFT	LAB20	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	80076	Panel includes AST, ALT, ALP, TB, DB, TP, ALB, INDIRECT BILI
HIV 1/2 Ag/Ab Rapid (BBE- inhouse only)		LAB1231000257	CHEMISTRY	Serum (SST) or Plasma (EDTA)	Deliver to Chemistry STAT	86703	Methodology: Immunoassay
HLA TYPING-BLOOD PRODUCT	HLA MATCHED BLOOD PRODUCT	General Adult Blood Administration SmartSet	BLOOD BANK	N/A		MULTI	*Special order from the Red Cross: Contact Blood Bank for information on ordering HLA matched products
HPV High-risk (Cobas) with HPV 16 and 18, rectal source	HUMAN PAPILLOMA VIRUS	LAB13	CYTOLOGY	THINPREP	Room Temperature	87624	Order Non-GYN order in EMR. Choose rectal source. ThinPrep specimen must accompany requisition.
HPV/HPV REFLEX 16/18,45 (GYN)	HUMAN PAPILLOMA VIRUS	LAB4	CYTOLOGY	THINPREP (provided by Cytology)		87624	Order HPV in GYN PAP order in EMR system. ThinPrep specimen must accompany cytology requisition.
INFLUENZA A AND B, RSV, SarsCov2 (RT-PCR)	FLU AB, RSV, SarsCov2 PCR	LAB10083	MICROBIOLOGY	Cepheids Sample Collection Device 3mL Viral Transport Media (SWAB/B-100 or NASL-100N-100)	Transport Immediately at Room Temperature	87502	Source: Nasal Pharyngeal, Nasal, Nasal Wash/Aspirate Methodology: The Cepheid 4-Plex Assay is an automated, Multiplex, Real-time, Reverse transcriptase polymerase chain reaction (RT-PCR) assay intended for the in vitro qualitative detection and differentiation of Influenza A and Influenza B, RSV and SarsCov2 Emergency department, EME, and Inpatients only for hospital infection prevention Results are NOT intended to diagnose, guide or monitor treatment of Influenza, RSV or SarsCov2 Testing availability is dependent on cartridge availability
IRON		LAB94	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	83540	Methodology: TPTZ/bichromatic endpoint
Iron Profile		LAB1230108530	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate		PANEL Includes: FE, UBC, TIBC, FERR
IRRADIATION OF BLOOD PRODUCTS		General Adult Blood Administration - SmartSet	BLOOD BANK	N/A		MULTI	Special order from the Red Cross: Contact blood bank for information on ordering irradiated blood products
JOINT FLUID CRYSTALS		LAB213	HEMATOLOGY	Green top tube [Heparin], lavender top [EDTA] or red top [no additive]	Deliver to lab within one hour of collection.	89060	Methodology: Microscopy
JOINT FLUID PROFILE		LAB211	HEMATOLOGY	LAVENDER (EDTA)	Deliver to lab within one hour of collection.	89051	Use for joint fluids, i.e. knee, toe, elbow, etc. Methodology: Automated cell counter

JOINT FLUID PROFILE W/O DIFF		LAB209	HEMATOLOGY	LAVENDER (EDTA)	Deliver to lab within one hour of collection.	89050	Methodology: Automated cell counter or manual
KIDNEY BIOPSY		LAB1137	PATHOLOGY	Send fresh in sterile container	Deliver immediately to Pathology Refrigerate specimens if there is a delay in processing. Specimens are sent to reference laboratory for testing.	MULTI	Procedure is performed in Ultrasound by nephrologist. Pathology lab is notified in advance. Place surgical exam in EMR system. Medical Kidney, send all pertinent clinical history and recent blood work with specimen.
LACTIC ACID	Lactate	LAB10031	CHEMISTRY	Plasma (Gray top)	On ice-run within 15 minutes	83605	Methodology: Lactate to Pyruvate/ bichromatic endpoint Patient should not clench fist. Draw on ice, avoid tourniquet.
LD-LACTATE DEHYDROGENASE	LD-LDH	LAB96	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	83615	Methodology: L-Lactate/NAD to NADH/ Calibrated/ 37°C /bichromatic rate
LIMBS	AMPUTATION	LAB1137	PATHOLOGY	Specimen should be wrapped in 2 red biohazard bags.	Deliver immediately to Pathology. Refrigerate when there is a delay in processing	88309	Needs a Surgical Pathology Exam order in EMR system. Consent of operation, anesthetics and other medical services form serves as a disposal form when signed and witnessed.
LIPASE		LAB99	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	83690	Methodology: Colorimetric 1,2 Diglyceride to 2 Monoglyceride + fatty acid
LIPID PROFILE		LAB18	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	80061	Panel includes TRI, CHO, HDL, LDL, CHOL/HDL RATIO
LITHIUM		LAB29	CHEMISTRY	Serum (Red)/ Plasma (Lav)	Refrigerate	80178	Methodology: spectrophotometry
LIVER BIOPSY, COPPER	COPPER WILSON'S DISEASE	LAB1137	PATHOLOGY	Metal free container (obtained from Pathology). No fixative.	Specimen is sent to reference laboratory	82525	Pathology is notified prior to procedure. Minimum of 2 mg fresh tissue. Order a Surgical Pathology exam in the EMR system, indicate Copper testing needed in order.
LIVER BIOPSY, TOTAL IRON CONTENT	TOTAL IRON CONTENT	LAB1137	PATHOLOGY	Metal free container (obtained from Pathology). No fixative.	Specimen is sent to reference laboratory.	83540	Pathology is notified prior to procedure. Minimum of 2 mg fresh tissue. Order a Surgical Pathology exam in the EMR system, indicate Iron Quant testing needed in order.
LUTEINIZING HORMONE	LH	LAB87	CHEMISTRY	Serum (SST)/Li Hep	Refrigerate	83002	Methodology: sandwich immunoassay using direct chemiluminescent technology
LYMPH NODE		LAB1137	PATHOLOGY	10% Formalin (obtained from Pathology)	Add sterile saline and refrigerate fresh specimen if there is a delay in processing.	88305	Send lymph nodes fresh if special procedures are ordered. Pathologist/histotechnologist is notified prior to surgery. Order a Surgical Pathology exam in the EMR system, indicate if Flow Cytometry testing is needed in order. Include pertinent clinical information.
LYMPH NODE-FLOW CYTOMETRY, AND ASPIRATE	TISSUE	LAB1137	PATHOLOGY	Fresh (NO SALINE) in a sterile container or iin RPMI Media (obtained from Pathology)	Deliver to Pathology immediately. Refrigerate fresh specimen if there is a delay in processing.	88305	Portion of specimen sent to reference laboratory. Order a Surgical Pathology exam in the EMR system, indicate in order if Flow Cytometry is needed. Include pertinent clinical information.
MAGNESIUM	MG	LAB103	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	83735	Methodology: Colorimetric Xylidyl Blue) / bichromatic endpoint
MANUAL DIFF		LAB2410	HEMATOLOGY	Whole blood (potassium EDTA - Lavender top)		85007	Methodology: Microscopy
MICRO DIRECT BILIRUBIN	DIRECT BILI	LAB52	CHEMISTRY	Heel Stick- 1 SST microtainer	Refrigerate & Protect from Light	82248	Methodology: Bichromatic endpoint
MICRO TOTAL BILIRUBIN	MICRO T. BILI	LAB123000888	CHEMISTRY	Heel Stick- 1 SST microtainer	Refrigerate & Protect from Light	82247	Methodology: Diazonium DPD,Bichromatic endpoint
MICROALBUMIN, RANDOM	MALB	LAB689	CHEMISTRY	10 ml aliquot of random urine. Do not acidify.	Refrigerate	82043/82570	Methodology: Turbidimetric
MONO TEST	MONON-UCLEOSIS RAPID II	LAB482	CHEMISTRY	Serum (SST, RED top) or Plasma (EDTA -Lavender top/Li Hep)	Refrigerate	86308	Methodology: Immunochromographic dipstick
MRSA COLONIZATION SCREEN, PCR	MRSA SCREEN	LAB91036	MICROBIOLOGY	Collect with Copan DUAL Dacron SWAB Culturette- (Red Top) ONLY!	Transport within 24 hrs. at room temperature. When transport is greater than 24 hrs, Refrigerate.	87081	Methodology: Amplified DNA detection by real-time PCR. Source: Both Anterior Nares only. Please Note: This test is NOT diagnostic. This test detects viable and non-viable MRSA DNA.
MRSA NASAL SCREEN							Source: Anterior Nares
CULTURE	MRSA CULTURE	LAB5234	MICROBIOLOGY	ESwab Collection and Transport System	Transport at room temperature within 24 hours of collection.		Methodology: Chrom ID Mrsa agar is used as a selective and differential Chromogenic medium for the qualitative detection of MRSA from Anterior nare specimens. Used ONLY for Surveillance testing of Nares to determine colonization of MRSA
OB PROFILE	OB TYPE/ SCREEN	No longer exists- See LAB276 for Type/Screen	BLOOD BANK	LAVENDER (EDTA)	Room Temperature	Multi	Includes blood type and antibody screen. Methodology: Gel column technology.

OCCULT BLOOD FECES		LAB694	HEMATOLOGY	Hemoccult slide	Room temperature within 14 days.	82270	Follow directions on slide. Protect from moisture until collection - For screening Methodology: GuiaC
OCCULT BLOOD FECES X3		LAB12310037	HEMATOLOGY	Hemoccult slide	Room temperature within 14 days.	82272	Follow direction on slide - For diagnostic testing only. Methodology: GuiaC
OCCULT BLOOD GASTRIC		LAB123218	HEMATOLOGY	Gastroccult slide,	Room temperature within 14 days.	82271	Obtain slide from Hematology. Follow directions on slide. Protect from moisture until collection. Methodology: GuiaC
OPIATES		LAB416	CHEMISTRY	URN-50ML	Refrigerate	80101	Methodology: EMIT® Enzyme Immunoassay
OSMOLALITY		LAB107	CHEMISTRY	Serum (SST)	Refrigerate	83930	Methodology: freezing point depression
PAP SMEAR	GYN	LAB4	CYTOLOGY	ThinPrep collection kit (provided by Cytology)	Store: Room temperature	88142	Place a GYN PAP order in the EMR system, provide cytology paper requisition. Choose screening or diagnostic pap smear, include source and pertinent clinical information on the cytology requisition. Rinse the brush as quickly as possible in the PreservCyt Solution by rotating the device in the solution 10 times while pushing against the PreservCyt vial wall. Swirl the brush vigorously to further release material. Discard the brush. Additional collection information is available upon physician's request. The College of American Pathologist (CAP) requires the laboratory to educate providers of cervicovaginal specimens that the pap test is a screening test for cervical cancer with an inherent false negative rate (see CAP regulation CYP.06466). Methodology: Thinprep.
PARATHYROID HORMONE, INTACT Routine & Intraoperative	PTH	Routine-LAB108 Intraoperative-LAB200607	CHEMISTRY	Plasma (Li-hep, EDTA) or Serum (SST)	Plasma (EDTA) - room temp 24 hrs, refrig 14 DAYS. Plasma (Li-Hep)- room temp 9 hrs, refrig 72 hrs. Serum(SST)- room temp & refrig 8 hrs	83970	Methodology: sandwich immunoassay using direct chemiluminescent technology
PELVIC WASHINGS	FLUID - BODY CAVITY	LAB13	CYTOLOGY	Cytolyt and 10% formalin	Send specimen immediately to Cytology. Refrigerate if there is a delay in processing.	88112	Non-Gyn order in EMR, cytology requisition must accompany specimen. Fresh -bring specimen to cytology lab immediately - Or- split specimen equally and place one part in cytolyt and other part in formalin. Methodology: Thinprep and cell block technique
PERICARDIAL FLUID	FLUID - BODY CAVITY	LAB13	CYTOLOGY	Cytolyt and 10% formalin	Send specimen immediately to Cytology. Refrigerate if there is a delay in processing.	88112	Non-Gyn order in EMR, cytology requisition must accompany specimen. Fresh -bring specimen to cytology lab immediately - Or- split specimen equally and place one part in cytolyt and other part in formalin. Methodology: Thinprep and cell block technique
PERITONEAL FLUID	FLUID - BODY CAVITY	LAB13	CYTOLOGY	Cytolyt and 10% formalin	Send specimen to Cytology. Refrigerate if there is a delay in processing.	88112	Non-Gyn order in EMR, cytology requisition must accompany specimen. Fresh -bring specimen to cytology lab immediately - Or- split specimen equally and place one part in cytolyt and other part in formalin. Methodology: Thinprep and cell block technique
PH		LAB110	CHEMISTRY	FLUID	Refrigerate	82800/82803	Methodology: electrochemical (pH meter)
PHENCYCLIDINE, SCREEN		LAB423	CHEMISTRY	URN-50ML	Refrigerate	80301	Methodology: EMIT® Enzyme Immunoassay
PHENOBARBITAL		LAB30	CHEMISTRY	Serum (Red)/Li Hep	Refrigerate	80184	Methodology: EMIT® Enzyme Immunoassay
PHENYTOIN	DILANTIN	LAB31	CHEMISTRY	Serum (Red)/ Li Hep	Refrigerate	80185	Methodology: EMIT® Enzyme Immunoassay
PHOSPHORUS		LAB113	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	84100	Methodology: Phosphomolybdate UV /bichromatic endpoint
PLASMA, 5 DAY	FP5	General Adult Blood Administration - SmartSet	BLOOD BANK	LAVENDER (EDTA) RED Serum Separator (SST) NOT acceptable	Room temperature	MULTI	
PLASMA, FRESH FROZEN	FFP	General Adult Blood Administration - SmartSet	BLOOD BANK	LAVENDER (EDTA)	Room temperature	MULTI	Contact Blood Bank. Not routinely available. Special order from the Red Cross. Must be approved by the Red Cross Medical Director. Frozen plasma (FP24) is considered an acceptable substitute for replacement of coagulation factors.

				RED Serum Separator (SST) NOT acceptable			
PLATELET COUNT		LAB301	HEMATOLOGY	Whole blood (EDTA - Lavender)	Room temperature within 24 hrs. Refrigerate 24-48 hrs.	85049	
PLATELETPHERESIS PATHOGEN REDUCED	PLATELETPHERESIS – PSORALEN TREATED	General Adult Blood Administration - SmartSet	BLOOD BANK	LAVENDER (EDTA)	Room temperature	MULTI	Special order from the American Red Cross; contact blood bank prior to order. Pathogen reduced platelets are functionally equivalent to conventional irradiated and CMV negative plateletpheresis products.
PLEURAL FLUID	FLUID - BODY CAVITY	LAB13	CYTOLOGY	Cytolyt and 10% formalin	Send specimen to Cytology. Refrigerate if there is a delay in processing	88112	Non-Gyn order in EMR system. Cytology requisition must accompany specimen. Fresh - bring specimen to cytology lab immediately OR split specimen equally and place one part in cytolyt and other part in formalin. Methodology: Thinprep and cell block technique.
POTASSIUM	K	LAB114	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	84132	Methodology: Ion Selective/Diluted/ Indirect Potentiometric
PREALBUMIN		LAB114	CHEMISTRY	Plasma(Li Hep) Serum (SST)	Refrigerate	84134	Methodology: Enzyme Immunoassay
PROCALCITONIN		LAB90121	CHEMISTRY	Plasma (Li Hep/EDTA)/ Serum (SST)	Refrigerate	84145	Methodology: competitive immunoassay using direct chemiluminescent technology
PROLACTIN		LAB531	CHEMISTRY	Serum (SST)/ Li Hep	Refrigerate	84146	Methodology: sandwich immunoassay using direct chemiluminescent technology
PROGESTERONE		LAB529	CHEMISTRY	Serum (SST)	Refrigerate	84144	Methodology: competitive immunoassay using direct chemiluminescent technology
PROSTATIC SPECIFIC ANTIGEN	PSA	LAB116	CHEMISTRY	Serum (SST)	Refrigerate	84153	Methodology: sandwich immunoassay using direct chemiluminescent technology
PT PROFILE		LAB123201	HEMATOLOGY	Plasma (Sodium Citrate - Blue Top)	Room temperature	85610	Exact amount of blood required. Methodology: photo-optically
PTT PROFILE		LAB325	HEMATOLOGY	Plasma (Sodium Citrate - Blue Top)	Room temperature within 4 hours of collection.	85730	Exact amount of blood required. Methodology: photo-optically
RAPID PLASMA REAGIN (RPR)	RPR	LAB494	CHEMISTRY	Serum (SST)	Refrigerate	86593	Methodology: Macroscopic Flocculation
RAPID STREP ANTIGEN	Rapid Strep	LAB885	MICROBIOLOGY	Collect with a Pur-Wraps® rayon swab <u>ONLY</u> (white/blue packaging)	Transport within 24 hrs. at room temperature. Refrigerate at 2 to 8°C if transport is to be delayed, but deliver to the laboratory as soon as possible, as the optimum time for processing a culture and/or testing for rapid antigen is within 48 hours of collection.	87880	Methodology: Color immunochromatographic assay using Dual Label Technology (DLT) for detection of Streptococcus grp A antigen. **NOTE: Collect 2 swabs, for children 18 yrs and younger, for reflex to Throat Group A Strep Culture when rapid antigen is negative. (The American Academy of Pediatrics and the Infectious Diseases Society of America (IDSA) recommend that negative non-culture tests be confirmed by culture. However, the IDSA guidelines leave the decision to the physician as to whether cultures should be performed on adults who have a negative antigen detection test.)
RAPID TRICH ANTIGEN	Rapid Trich	LAB5069	MICROBIOLOGY	Collect with a Pur-Wraps® rayon swab <u>ONLY</u> . (white/blue packaging.	Transport within 24 hrs. at room temperature.	87899	Methodology: Color immunochromatographic assay for rapid detection of Trichomonas antigen. ** NOTE: Testing can <u>ONLY</u> be performed on <u>FEMALES</u> .
RED CELLS	RBCS - LEUKOREduced	General Adult Blood Administration - SmartSet	BLOOD BANK	LAVENDER (EDTA)	Room temperature	MULTI	Specify number of units. All RBC products are leukoreduced
RENAL FUNCTION PANEL		LAB1230100097	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	80069	Panel includes GLU, BUN, CRE, CO2, CL, NA, K, CA, PO4, ALB
RESPIRATORY CULTURE and Gram Stain	SOURCES: Sputum Sputum, Induced Bronch Wash Tracheal Aspirate Bronchial Brush Bronchial Lavage (BAL) Endotracheal Aspirate Respiratory, Misc	LAB900	MICROBIOLOGY	Sterile Container	Transport immediately at room temperature. If transport is >2 hrs, Refrigerate specimen after collection and transport on ice.	MULTI	Methodology: Gram Stain & Culture with reflex to identification & susceptibility testing. Specify source. * Refer to "Specimen Collection and Transport", <u>Specimen Collection Requirements/Notes</u> , Microbiology section for details.
RETIC COUNT		LAB296	HEMATOLOGY	Whole blood (potassium EDTA - Lavender top)	Room temperature within 24 hrs. Refrigerate 24-48 hrs.	85044	
RHD Genotyping		LAB123707	BLOOD BANK	2 Tall Lavender EDTA	Refrigerate	81403	Sent to Blood Bank Reference Laboratory. For transfusion and Rhlg recommendations in Rh(D) Variant patients.
RH(D) IMMUNE GLOBULIN	RHOGAM	Rhlg Order Panel	BLOOD BANK	LAVENDER (EDTA)	Room temperature	MULTI	Used to prevent Rh sensitization in Rh negative mothers.

RSV ANTIGEN (RAPID Antigen TEST)	RESPIRA-TORY SYNCITIAL	LAB495	MICROBIOLOGY	Nasopharynge-al Swab submitted in 1 ml of viral transport media, or Nasopharynge-al Wash submitted in a sterile container.	Transport immediately at room temperature. Refrigerate at 2 to 8°C if transport is to be delayed, but deliver to the laboratory as soon as possible	87420	Methodology: Rapid immunochromatogr-aphic assay for the qualitative detection of RSV. ***NOTE: Test only performed for children less than 5 yrs.
SALICYLATE	ACETYLSALICYLIC ACID ASPIRIN	LAB34	CHEMISTRY	Serum (RED)	Refrigerate	80196	Methodology: EMIT/Enzyme Immunoassay
SEDIMENTATION RATE PROFILE	ESR Sed Rate	LAB32	HEMATOLOGY	Whole blood (EDTA - Lavender)	Refrigerate if unable to deliver to lab within 4 hours.	85651	Methodology: iSED
Serum (SST) PREGNANCY		LAB144	CHEMISTRY	Serum (SST)	Refrigerate	84703	Methodology: Immunoassay
SODIUM		LAB122	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	84295	Methodology: Ion Selective/Diluted/ Indirect Potentiometric
SPINAL FLUID	CSF	LAB13	CYTOLOGY	Sterile container	Send to Cytology lab immediately. Refrigerate if there is a delay in processing.	88104	Notify technologist as soon as specimen arrives in Cytology. Non-Gyn order in EMR. Cytology requisition is required with specimen. Fresh specimen submitted. No fixative added.
SPINAL FLUID PROTEIN	CSF PROTEIN	LAB195	CHEMISTRY	CSF2	Refrigerate	84155	Methodology: Pyrogallol Red /bichromatic endpoint
SPUTUM		LAB13	CYTOLOGY	50% alcohol (provided by Cytology) or cytolyt	Send to Cytology as soon as possible. Refrigerate if there is a delay in processing.	88112	Patients throat should be cleared of any material which may have accumulate overnight. This material should be discarded. Patient's mouth should be rinsed several times with water. Patient should cough deeply several times during the first hour awake. Methodology: Thinprep and cell block technique.
STOOL FOR WBC'S (White Blood Cells)	FECAL LEUKOCYTES STOOL WBC	LAB5265	MICRO	CARY BLAIR (preferred)	Transport within 24 hrs at room temperature	87205	Methodology: Gram stain of stool observed for White Blood Cells Submit: Fill Cary Blair vial to line with freshly collected stool.
SURGICAL TISSUE (SEE TISSUE BIOPSY).	BIOPSY TISSUE	LAB1137	PATHOLOGY	10% formalin container obtained from Pathology	Room temperature	MULTI	Specimen received with Surgical Pathology Specimen Exam in EMR and completed Pathology requisition including pertinent clinical information.
T3	TOTAL T3	LAB136	CHEMISTRY	Serum (SST)/Li Hep	Refrigerate	84480	Methodology: Competitive immunoassay using indirect chemiluminescent technology
T4	T4 THYROXINE	LAB126	CHEMISTRY	Serum (SST)/Li Hep	Refrigerate	84436	Methodology: Competitive immunoassay using indirect chemiluminescent technology
THC	CANNIBINOIDS MARIJUANA	LAB2337	CHEMISTRY	URN-50ML	Room temperature	80101	Methodology: EMIT® Enzyme Immunoassay
THEOPHYLLINE		LAB35	CHEMISTRY	Serum (Red)/Li Hep	Refrigerate	80198	Methodology: EMIT/Enzyme Immunoassay
THINPREP PAP (GYN)	Pap smear	LAB4	CYTOLOGY	ThinPrep collection kit (provided by Cytology)	Store: Room temperature	88142	Plase a Gyn-PAP order in the EMR system. Choose screening or diagnostic pap smear, include source and pertinent clinical information. Rinse the brush as quickly as possible in the PreservCyt Solution by rotating the device in the solution 10 times while pushing against the PreservCyt vial wall. Swirl the brush vigorously to further release material. Discard the brush. Additional collection information is available upon physician's request. The College of American Pathologist (CAP) requires the laboratory to educate providers of cervicovaginal specimens that the pap test is a screening test for cervical cancer with an inherent false negative rate (see CAP regulation CYP.06466).
THROAT CULTURE		LAB228	MICROBIOLOGY	ESwab Transport System	Transport within 24 hrs. at room temperature.	87070	Methodology: Culture with reflex to identification testing for Streptococcus grps A, C & G. Request other pathogens in comment section.
THROAT STREP SCREEN CULTURE	BETA STREP A	LAB236	MICROBIOLOGY	ESwab Transport System	Transport within 24 hrs. at room temperature.	87081	Methodology: Culture with reflex to identification testing for Streptococcus grp A only.
THYROID STIMULATING HORMONE		LAB1231413	CHEMISTRY	Serum (SST)/Li Hep	Refrigerate	84443	Methodology: sandwich immunoassay using direct chemiluminescent technology
THYROXINE		LAB126	CHEMISTRY	Serum (SST)/Li Hep	Refrigerate	84436	Methodology: Competitive immunoassay using direct chemiluminescent technology
TISSUE BIOPSY	BIOPSY, TISSUE SURGICAL TISSUE	LAB1137	PATHOLOGY	10% formalin (obtained from Pathology)	Room temperature	MULTI	Specimen received with a Surgical Pathology Exam order in the EMR system, completed Pathology requisition including pertinent clinical history.

TISSUE CULTURE	Source:	LAB271	MICROBIOLOGY	Sterile leak-proof container with a screw cap	Deliver STAT or within 30 minutes of collection, at room temperature.		Methodology: Gram Stain & Culture with reflex to identification & susceptibility testing. Submit: Select an area bordering and including necrotic tissue. Place specimen in a sterile container with a small amount of nonbacteriostatic saline to keep tissue moist. -or- tissue on top of sterile gauze wet with nonbacteriostatic saline, in a sterile container.
TOBRAMYCIN (RANDOM)		LAB37	CHEMISTRY	Serum (Red)/Li Hep	Refrigerate	80200	Methodology: EMIT/Enzyme Immunoassay
TOBRAMYCIN PEAK		LAB36	CHEMISTRY	Serum (Red)/Li Hep	Refrigerate	80200	Methodology: EMIT/Enzyme Immunoassay
TOBRAMYCIN TROUGH		LAB383	CHEMISTRY	Serum (Red)/Li Hep	Refrigerate	80200	Methodology: EMIT/Enzyme Immunoassay
TOTAL BILIRUBIN	TBILI	LAB50	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	82247	Methodology: Diazonium DPD, Bichromatic endpoint
TOTAL IRON CONTENT	LIVER BIOPSY, TOTAL IRON CONTENT	LAB13	PATHOLOGY	Metal free container (obtained from Pathology) No fixative added.	Specimen is sent to reference laboratory.	83540	Pathology is notified prior to procedure. Place a Surgical Pathology Exam order in the EMR system. Indicate Iron Quant testing needed. Minimum of 2 mg fresh liver tissue.
TOTAL PROTEIN	PROTEIN	LAB118	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	84155	Methodology: Biuret / bichromatic endpoint
TOTAL PSA	PSA	LAB116	CHEMISTRY	Serum (SST)	Refrigerate	84153	Methodology: sandwich immunoassay using direct chemiluminescent technology
TRANSFUSION REACTION	TRANSFUSION RX	LAB893	BLOOD BANK	LAVENDER (EDTA) RED Serum Separator (SST) NOT acceptable	Room temperature	MULTI	Notify blood bank immediately. Complete suspected transfusion reaction form and forward form and product to blood bank.
TRIGLYCERIDES	TRIG	LAB134	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	84478	Methodology: No Glyc/Serum (SST) Blank/ENZ-Color(GPO) / bichromatic endpoint
TROPONIN I, High Sensitivity		LAB139	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Physically separate serum or plasma from contact with cells as soon as possible. Tightly stopper the tube immediately.	84484	Methodology: sandwich immunoassay using direct chemiluminescent technology Plasma (Li Hep.) preferred (Lithium heparin plasma and serum samples should not be used interchangeably.)
					Store Samples tightly stoppered at room temperature (15-25°C) for up to 4 hours.		
					• If the assay will not be completed within 4 hours, refrigerate the samples at 2 to 8°C.		
					• If the assay will not be completed within 48 hours, freeze at -20°C or colder. • Frozen specimens can be stored up to 180 days before testing.		
TYPE AND SCREEN		LAB276	BLOOD BANK	LAVENDER (EDTA)	Room Temperature	MULTI	Includes type and rh and antibody screen. Methodology: Gel column technology
ABO/RH Type		LAB895	BLOOD BANK	LAVENDER (EDTA)	Room Temperature	MULTI	Methodology: Gel column technology
URIC ACID		LAB141	CHEMISTRY	Plasma (Li-hep) or Serum (SST)	Refrigerate	84550	Methodology: Uricase / bichromatic endpoint
URINALYSIS		LAB12320102043	HEMATOLOGY	12 ml urine collection tube.	Refrigerate or send on ice within one hour of collection.	81003	Methodology: Reagent strip
URINALYSIS WITH MICROSCOPIC	URINALYSIS WITH MICRO	LAB347	HEMATOLOGY	12 ml urine collection tube	Refrigerate or send on ice within one hour of collection	81001	Minimum of 5 cc required for microscopic. Methodology: Reagent strip with Microscopy
URINE CALCIUM		LAB371	CHEMISTRY	URN-50ML	Refrigerate	82310	Methodology: Arsenazo III / bichromatic endpoint
URINE CHLORIDE		LAB374	CHEMISTRY	URN-50ML	Refrigerate	82436	Methodology: Ion Selective/Diluted/ Indirect Potentiometric
URINE CREATININE	URINE CREAT	LAB384	CHEMISTRY	URN-50ML	Refrigerate	82570	Methodology: Kinetic Alkaline Picrate / bichromatic rate
URINE FOR CYTOLOGY	Cyto-urine	LAB13	CYTOLOGY	50% alcohol (provided by Cytology) or cytolyt	Deliver to Cytology as soon as possible. Refrigerate if there is a delay in processing.	88112	Place a Non-Gyn order in EMR system, Cytology requisition is required with specimen. Include patient instruction sheet (provided by lab). Methodology: Thinprep.
URINE LYTES	Urine Electrolytes	LAB16	CHEMISTRY	URN-50ML	Refrigerate	80051	Methodology: Ion Selective/Diluted/ Indirect Potentiometric
URINE OSMOLALITY	UOM	LAB420	CHEMISTRY	Random Urine (Sterile leak-proof container with screw cap)	Refrigerate	83935	Methodology: freezing point depression
URINE PHOSPHORUS		LAB427	CHEMISTRY		Refrigerate	84105	Methodology: Phosphomolybdate UV
URINE POTASSIUM	URINE K	LAB434	CHEMISTRY		Refrigerate	84133	Methodology: Indirect Ion Selective Electrode
URINE PREG	URINE HCG	LAB437	CHEMISTRY	12 ml urine collection tube.	First morning specimen preferred. Minimum of 3 mL	81025	Methodology: Immunoassay
URINE SODIUM		LAB444	CHEMISTRY	URN-50ML	Refrigerate	84300	Methodology: Ion Selective/Diluted/ Indirect Potentiometric
URINE TOTAL PROTEIN	URINE TP	LAB439	CHEMISTRY	URN-50ML	Refrigerate	84156	Methodology: Pyrogallol Red / bichromatic endpoint
URINE UREA NITROGEN	URINE BUN	LAB748	CHEMISTRY	URN-50ML	Refrigerate	84540	Methodology: Urease with GLDH / bichromatic rate
URINE URIC ACID	URINE URIC ACID	LAB2327	CHEMISTRY	URN-50ML	Refrigerate	84560	Methodology: Uricase / bichromatic endpoint
VALPROIC ACID	DEPEKENE	LAB24	CHEMISTRY	Serum (Red)/Li Hep	Refrigerate	80164	Methodology: EMIT/Enzyme Immunoassay
VANCOMYCIN PEAK		LAB41	CHEMISTRY	Serum (Red)/ Li Hep	Refrigerate	80202	Methodology: EMIT/Enzyme Immunoassay
VANCOMYCIN TROUGH		LAB39	CHEMISTRY	Serum (Red)/ Li Hep	Refrigerate	80202	Methodology: EMIT/Enzyme Immunoassay
VANCOMYCIN-RANDOM		LAB40	CHEMISTRY	Serum (Red)/ Li Hep	Refrigerate	80202	Methodology: EMIT/Enzyme Immunoassay

VITAMIN B12	B12	LAB67	CHEMISTRY	Serum (SST)/ Li Hep	Refrigerate	82607	Methodology: Competitive immunoassay using direct chemiluminescent technology
VITAMIN D, 25 OH	Vitamin D, 25 Hydroxy	LAB12312	CHEMISTRY	Serum (SST), Li Hep	Refrigerate	82306	Methodology: Immunoassay using indirect chemiluminescence technology
WASHED RED CELLS	RBCS-WASHED	General Adult Blood Administration - SmartSet	BLOOD BANK	LAVENDER (EDTA)	Room temperature	MULTI	Special order from the American Red Cross; contact blood bank prior to order.
WHITE BLOOD CELL COUNT		LAB299	HEMATOLOGY	LAVENDER (EDTA)	Room temperature within 24 hrs. Refrigerate 24-48 hrs.	85048	Room temperature within 24 HRS. Refrigerate 24-48 HRS. Methodology: Automated cell counter.
WOUND CULTURE, (BIOPSY, ASPIRATE, TISSUE, SWAB, OR PUS)	Sources: Biopsy of Open Wounds (best sample), Fine Needle Aspirations, Aspirates of Closed Wounds, Infected Viable Tissue, Pus,	LAB503	MICROBIOLOGY	Syringe or Sterile Container, ESwab collection and Transport System	Immediately at room temperature	87070	Order: AEROBIC CULTURE and GRAM STAIN Methodology: Gram Stain & Culture with reflex to identification & susceptibility testing. * Refer to "Specimen Collection and Transport", Specimen Collection Requirements/Notes , Microbiology section for details.