



ALBANY MED Health System

SARATOGA HOSPITAL

Clinical Laboratory Permits & Accreditation Certificates

New York State Department of Health

PFI: 2294

Clinical Laboratory Permit

CLIA: 33D0164868

Saratoga Hospital Laboratory

211 Church Street
Saratoga Springs NY 12866

Director:
Janne V Rand, M.D.

Owner:
Saratoga Hospital

is hereby authorized to perform laboratory procedures at the above location in the following categories in accordance with Article 5, Title V, Section 575 of the Public Health Law. This permit shall become void upon a change in the director, owner or location of the laboratory, and an application for a new permit shall be made to the Department.

Bacteriology
Blood pH and Gases
Blood Services
Transfusion Service
Clinical Chemistry
Cytopathology
Gynecological Testing
Non-gynecological Testing

Diagnostic Immunology
Diagnostic Services Serology
Endocrinology
Hematology
Histopathology
General
Immunohematology
Parasitology

Toxicology
Clinical Toxicology-Quantitative Testing Only
Ther. Sub. Mon./Quant. Test.
Urinalysis
Virology
(limited to FDA-approved antigen detection
and molecular-based systems for respiratory
viruses)

Renewal

Effective Date: July 1, 2025

Expiration Date: June 30, 2026

Subject to Revocation

Permit Not Transferable

POST CONSPICUOUSLY

Serial: LAP 201890

New York State Department of Health

PSC 2294

Patient Service Center operated by CLIA 33D0164868

Saratoga Hospital Laboratory

211 Church Street

Saratoga Springs, NY 12866

The laboratory named above is authorized under the provisions of 10NYCRR Part 58 to operate a Patient Service Center of the type indicated below. Compliance with all provisions of the Public Health law, the rules and regulations promulgated thereunder, and all applicable provisions of other laws is required.

PSC No: 2294 - 0009

Schuylerville Family Health

200 Broad St

Schuylerville, NY 12871

Renewal

Effective Date: July 1, 2025

Expiration Date: June 30, 2026

COLLECTING STATION

Subject to Revocation

Not Transferable

POST CONSPICUOUSLY

Serial: PS 75216

PSC No: 2294-0010
510 Geyser Rd. Balston, NY

CLIA Number: 33D0164868

New York State Department of Health

PFI: 2294

Patient Service Center operated by CLIA: 33D0164868

Saratoga Hospital Laboratory

211 Church Street

Saratoga Springs, NY 12866

The laboratory named above is authorized under the provisions of 10NYCRR Part 58 to operate a Patient Service Center of the type indicated below. Compliance with all provisions of the Public Health Law, the rules and regulations promulgated thereunder, and all applicable provisions of other laws is required.

PSC No: 2294 - 0010

510 Geyser Road
Balston NY 12020

Renewal

Effective Date: July 1, 2025

Expiration Date: June 30, 2026

COLLECTING STATION

Subject to Revocation

Not Transferable

POST CONSPICUOUSLY

Serial: PS 75217

PSC No: 2294-0012
3040 Route 50N, Saratoga
Springs, NY

CLIA Number: 33D0164868

New York State Department of Health

PSC: 2294

Patient Service Center operated by CLIA: 33D0164868

Saratoga Hospital Laboratory

211 Church Street

Saratoga Springs, NY 12866

The laboratory named above is authorized under the provisions of 10NYCRR Part 58 to operate a Patient Service Center of the type indicated below. Compliance with all provisions of the Public Health law, the rules and regulations promulgated thereunder, and all applicable provisions of other laws is required.

PSC No: 2294 - 0013

3040 Route 50 N

Saratoga Springs, NY 12866

Renewal

Effective Date: July 1, 2025

Expiration Date: June 30, 2026

COLLECTING STATION

Subject to Revocation

Not Transferable

POST CONSPICUOUSLY

Serial: PS 75218

New York State Department of Health

PSC 2294

Patient Service Center operated by CLIA# 33D0164868

Saratoga Hospital Laboratory

211 Church Street

Saratoga Springs, NY 12866

The laboratory named above is authorized under the provisions of 10NYCRR Part 58 to operate a Patient Service Center of the type indicated below. Compliance with all provisions of the Public Health law, the rules and regulations promulgated thereunder, and all applicable provisions of other laws is required.

PSC No: 2294 - HF

Cholesterol
HDL CholesterolGlucose
Triglycerides
LDL CholesterolHemoglobin A1C
PSA

Renewal

Effective Date: July 1, 2025

Expiration Date: June 30, 2026

HEALTH FAIR

Subject to Revocation
Not Transferable

POST CONSPICUOUSLY

Serial: PS 75219

PFI: S759
211 Church Street Saratoga Springs, NY

CLIA Number: 33D0164868
Lab Director Janne Rand, MD

New York State Department of Health

PFI: S759 Limited Service Laboratory Registration CLIA: 33D0164868

Saratoga Hospital
211 Church Street
Saratoga Springs NY 12866

Director:
Janne V. Rand, M.D.

Owner:
Saratoga Hospital

is hereby authorized to perform the following procedures in accordance
with Article 5, Title V, Section 579 of the Public Health Law.

Fern Tests

Glucose
pH

Pregnancy Test (Urine)

Renewal

Effective Date: March 24, 2024

Expiration Date: March 24, 2026

Single Site

Certification Type: FULL/PPMP

Subject to Revocation

Registration Not Transferable

POST CONSPICUOUSLY

Serial: LIM 76397



Saratoga Hospital

having been assessed by AABB, has been found to meet the requirements of applicable Standards of this organization and therefore is granted this

CERTIFICATE OF ACCREDITATION

for the following activities:

Transfusion Activities

In Witness whereof the undersigned, being duly authorized, have caused this Certificate to be issued and the AABB Corporate Seal to be affixed.

Effective Dates:

April 01, 2025 - March 31, 2027

A handwritten signature in dark ink, reading "Meghan Delaney".

President, AABB

A handwritten signature in dark ink, reading "Kevin Jand".

Chair, Accreditation Program Committee



ALBANY MED Health System

SARATOGA HOSPITAL

Malta Med Emergent Care Laboratory Certificates

PFI No: 8290
6 Medical Park Drive, Malta, NY

CLIA Number: 33D164484
Lab Director: Janne Rand, MD

New York State Department of Health

PFI: 8290

Clinical Laboratory Permit

CLIA: 33D1064484

Malta Med Emergent Care Laboratory

6 Medical Park Drive Suite 101

Malta NY 12020

Director:
Janne V Rand, M.D.

Owner:
Health Care Partners of Saratoga

is hereby authorized to perform laboratory procedures at the above location in the following categories in accordance with Article 5, Title V, Section 575 of the Public Health Law. This permit shall become void upon a change in the director, owner or location of the laboratory, and an application for a new permit shall be made to the Department.

*Bacteriology
Clinical Chemistry
Diagnostic Immunology
Diagnostic Services Serology*

*Endocrinology
Hematology
Parasitology
Ther. Sub. Mon./Quant. Tox.*

*Urinalysis
Virology
(limited to FDA-approved antigen detection
and molecular methods)*

Renewal

Effective Date: July 1, 2025

Expiration Date: June 30, 2026

Subject to Revocation

Permit Not Transferable

POST CONSPICUOUSLY

Serial: LAP 202374

New York State Department of Health
PFI: T971 Limited Service Laboratory Registration CLIA: 33D164484
Malta Med Emergent Care
6 Medical Park Blvd, Suite 101
Malta NY 12020

Director:
Janne V Rand, M.D.

Owner:
Health Care Partners of Saratoga

is hereby authorized to perform the following procedures in accordance
with Article 5, Title V, Section 579 of the Public Health Law.

Glucose

Renewal
Effective Date: July 9, 2025
Expiration Date: July 9, 2027

Single Site
Certification Type: FULL/WAIVER
Subject to Revocation
Registration Not Transferable

POST CONSPICUOUSLY

Serial: LIM 86725