



ALBANY MED Health System

---

SARATOGA HOSPITAL

# **Clinical Laboratory Permits & Accreditation Certificates**

New York State Department of Health

PFI: 2294

Clinical Laboratory Permit

CLIA: 33D0164868

Saratoga Hospital Laboratory

211 Church Street  
Saratoga Springs, NY 12866

Director:  
Janne V Rand, M.D.

Owner:  
Saratoga Hospital

is hereby authorized to perform laboratory procedures at the above location in the following categories in accordance with Article 5, Title V, Section 575 of the Public Health Law. This permit shall become void upon a change in the director, owner or location of the laboratory, and an application for a new permit shall be made to the Department.

Bacteriology  
Blood pH and Gases  
Blood Services  
Transfusion Service  
Clinical Chemistry  
Cytopathology  
Gynecological Testing  
Non-gynecological Testing

Diagnostic Immunology  
Diagnostic Services Serology  
Endocrinology  
Hematology  
Histopathology  
General  
Immunohematology  
Parasitology

Toxicology  
Clinical Toxicology-Quantitative Testing Only  
Ther. Sub. Mon./Quant. Test.  
Urinalysis  
Virology  
(limited to FDA-approved antigen detection and molecular based systems for respiratory viruses)

Renewal

Effective Date: July 1, 2025

Expiration Date: June 30, 2026

Subject to Revocation

Permit Not Transferable

POST CONSPICUOUSLY

Serial: LAP 201890

New York State Department of Health

PSC 2294

Patient Service Center operated by CLIA 33D0164868

Saratoga Hospital Laboratory

211 Church Street

Saratoga Springs, NY 12866

The laboratory named above is authorized under the provisions of 10NYCRR Part 58 to operate a Patient Service Center of the type indicated below. Compliance with all provisions of the Public Health law, the rules and regulations promulgated thereunder, and all applicable provisions of other laws is required.

PSC No: 2294 - 0009

Schuylerville Family Health

200 Broad St

Schuylerville, NY 12871

Renewal

Effective Date: July 1, 2025

Expiration Date: June 30, 2026

COLLECTING STATION

Subject to Revocation

Not Transferable

POST CONSPICUOUSLY

Serial: PS 75216

New York State Department of Health

PSC: 2294

Patient Service Center operated by CLIA: 33D0164868

Saratoga Hospital Laboratory

211 Church Street

Saratoga Springs, NY 12866

The laboratory named above is authorized under the provisions of 10NYCRR Part 58 to operate a Patient Service Center of the type indicated below. Compliance with all provisions of the Public Health Law, the rules and regulations promulgated thereunder, and all applicable provisions of other laws is required.

PSC No: 2294 - 0010

510 Geyser Road  
Balston NY 12020

Renewal

Effective Date: July 1, 2025

Expiration Date: June 30, 2026

COLLECTING STATION

Subject to Revocation

Not Transferable

POST CONSPICUOUSLY

Serial: PS 75217

PSC No: 2294-0012  
3040 Route 50N, Saratoga  
Springs, NY

CLIA Number: 33D0164868

**New York State Department of Health**

PSC: 2294

Patient Service Center operated by CLIA: 33D0164868

Saratoga Hospital Laboratory

211 Church Street

Saratoga Springs, NY 12866

The laboratory named above is authorized under the provisions of 10NYCRR Part 58 to operate a Patient Service Center of the type indicated below. Compliance with all provisions of the Public Health law, the rules and regulations promulgated thereunder, and all applicable provisions of other laws is required.

PSC No: 2294 - 0013

3040 Route 50 N

Saratoga Springs, NY 12866

Renewal

Effective Date: July 1, 2025

Expiration Date: June 30, 2026

COLLECTING STATION

Subject to Revocation

Not Transferable

POST CONSPICUOUSLY

Serial: PS 75218

New York State Department of Health

PSC: 2294

Patient Service Center operated by CLIA: 33D0164868

Saratoga Hospital Laboratory

211 Church Street

Saratoga Springs, NY 12866

The laboratory named above is authorized under the provisions of 10NYCRR Part 58 to operate a Patient Service Center of the type indicated below. Compliance with all provisions of the Public Health law, the rules and regulations promulgated thereunder, and all applicable provisions of other laws is required.

PSC No: 2294 - HF

Cholesterol  
HDL Cholesterol

Glucose  
Triglycerides  
LDL Cholesterol

Hemoglobin A1C  
PSA

Renewal

Effective Date: July 1, 2025

Expiration Date: June 30, 2026

HEALTH FAIR

Subject to Revocation

Not Transferable

POST CONSPICUOUSLY

Serial: PS 75219

**New York State Department of Health**  
PFI: S759 **Limited Service Laboratory Registration** CLIA: 33D0164868

Saratoga Hospital  
211 Church Street  
Saratoga Springs, NY 12866

Director:  
Janne V Rand, M.D.

Owner:  
Saratoga Hospital

is hereby authorized to perform the following procedures in accordance  
with Article 5, Title V, Section 579 of the Public Health Law.

Creatinine	Glucose	pH
Fern Tests		Pregnancy Test (Urine)

Renewal  
Effective Date: March 24, 2026  
Expiration Date: March 24, 2028

Single Site  
Certification Type: FULL/PPMP  
Subject to Revocation  
Registration Not Transferable

Serial: LIM 90807

**POST CONSPICUOUSLY**



Saratoga Hospital

having been assessed by AABB, has been found to meet the requirements of applicable Standards of this organization and therefore is granted this

CERTIFICATE OF ACCREDITATION

for the following activities:

Transfusion Activities

In Witness whereof the undersigned, being duly authorized, have caused this Certificate to be issued and the AABB Corporate Seal to be affixed.

Effective Dates:

April 01, 2025 - March 31, 2027

A handwritten signature in dark ink, appearing to read "Meghan Delaney".

---

President, AABB

A handwritten signature in dark ink, appearing to read "Kevin Jand".

---

Chair, Accreditation Program Committee



ALBANY MED Health System

---

SARATOGA HOSPITAL

# Malta Med Emergent Care Laboratory Certificates

PFI No: 8290  
6 Medical Park Drive, Malta, NY

CLIA Number: 33D164484  
Lab Director: Janne Rand, MD

## New York State Department of Health

PFI: 8290

### Clinical Laboratory Permit

CLIA: 33D1064484

Malta Med Emergent Care Laboratory  
6 Medical Park Drive Suite 101  
Malta NY 12020

Director:  
Janne V Rand, M.D.

Owner:  
Health Care Partners of Saratoga

is hereby authorized to perform laboratory procedures at the above location in the following categories in accordance with Article 5, Title V, Section 575 of the Public Health Law. This permit shall become void upon a change in the director, owner or location of the laboratory, and an application for a new permit shall be made to the Department.

*Bacteriology*  
*Clinical Chemistry*  
*Diagnostic Immunology*  
*Diagnostic Services Serology*

*Endocrinology*  
*Hematology*  
*Parasitology*  
*Ther. Sub. Mon./Quant. Tax.*

*Urinalysis*  
*Virology*  
*(limited to FDA-approved antigen detection and molecular methods)*

#### Renewal

Effective Date: July 1, 2025


Expiration Date: June 30, 2026

Subject to Revocation

Permit Not Transferable

POST CONSPICUOUSLY

Serial: LAP 202374



POST CONSPICUOUSLY

Serial: LIM 86725