

New York State Department of Health Clinical Laboratory Permit

Albany Medical Center Hospital Pathology and
Laboratory Medicine
43 New Scotland Ave
Albany NY 12208

PFI: 1899
CLIA: 33D0706893

Serial: 189919F1A353339

Director: Karl A. Robstad, MD

Owner: Albany Medical Center Hospital

is hereby authorized to perform laboratory procedures at the above location in the following categories in accordance with Article 5, Title V, Section 575 of the Public Health Law. This permit shall become void upon a change in the director, owner or location of the laboratory, and an application for a new permit shall be made to the Department.

Bacteriology

Cellular Immunology
Non-Malignant Leukocyte
Immunophenotyping

Diagnostic Immunology
Diagnostic Services Serology

Blood pH and Gases

Clinical Chemistry

Endocrinology

Blood Services
Transfusion Service

Cytopathology
Gynecological Testing

Genetic Testing
Molecular

Cellular Immunology
Malignant Leukocyte
Immunophenotyping

Cytopathology
Non-gynecological Testing

Hematology

Effective Date: **July 1, 2026**
Expiration Date: **June 30, 2027**



Clinical Laboratory Evaluation Program



Commissioner of Health

New York State Department of Health Clinical Laboratory Permit

Albany Medical Center Hospital Pathology and
Laboratory Medicine
43 New Scotland Ave
Albany NY 12208

PFI: 1899
CLIA: 33D0706893

Serial: 189919F1A353339

Director: Karl A. Robstad, MD

Owner: Albany Medical Center Hospital

is hereby authorized to perform laboratory procedures at the above location in the following categories in accordance with Article 5, Title V, Section 575 of the Public Health Law. This permit shall become void upon a change in the director, owner or location of the laboratory, and an application for a new permit shall be made to the Department.

Histopathology
General

Immunohematology

Mycobacteriology

Mycology

Oncology
Molecular and Cellular Tumor Markers

Parasitology

Toxicology
Blood Lead-Comprehensive

Toxicology
Clinical Toxicology-Comprehensive

Ther. Sub. Mon./Quant. Tox.

Urinalysis

Virology

Effective Date: **July 1, 2026**
Expiration Date: **June 30, 2027**



Clinical Laboratory Evaluation Program



Commissioner of Health